


Qfc10: the head able to change forever the use of the brush cutter



Qfc10: for all needs, the solution is a single head








5 good reasons to choose the cutting system Qfc10



PATENTIONAL PATENTED

1 Blades replacement in 10"



2 Ideal for all situations

4 types of blades for 7 different types of cutting, to solve even the most difficult situations. From grass cutting of any kind to the most uncultivated and problematic areas, from standard cutting to "Mulching" or "Scattering" effect".

3 Total absence of problems

The only concern is the replacement of the blades: a fast operation, simple and handy. Moreover the special profile of the blades increases the power of impact and reduces vibration and noise, ensuring greater comfort for the operator.

4 Universal for all machines

Thanks to a universal mounting system it is possible to mount the head on any brush cutter, of any brand and engine capacity.

5 Head of higher and guaranteed durability

Aluminum head that does not require spare parts, simple and robust. Moreover, the aerodynamic profile of the blade reduces fuel consumption and power consumption, increasing wear resistance and tensile strength: does not stick and does not tear.

Special **PROFILE ANTI-AGAINST GRASS WINDING** even of high
and filamentous grass

Fixing surface PROCESSED
WITH MACHINE-TOOL
to eliminate VIBRATIONS

It is possible to mount


2 OR 4 BLADES

depending on the usage

WEIGHT: 320 gr

COMPATIBLE

with all modes of brush cutters and of any engine capacity




Head of ALUMINUM
with POLISHING
TREATMENT



The heart of the cutting system: 4 types of blades, specific for every need

The structural design of the blade has pursued the achievement of a shape capable of maximizing the **cutting action**.

The effectiveness and efficiency of the blades is guaranteed by three main features,



Why is the cutting more effective than the common round wire?




Fig. 1

There are 3 reasons:


1) The ellipse section of the cutting part of the blade provides a lower resistance to air and allows with the same nominal size (A), a **speed of rotation increased by 10%** compared to round wire. (fig. 1)

It also allows flexibility in the vertical direction and a strong rigidity in the horizontal plane (cutting plane). The outer parts of the ellipse have a diameter less than 50% compared to the nominal size (A) with correspondingly greater cutting effect (fig. 3). This allows to work even at low running speeds (the round wire to work must be taut and consequently be with a greater revs number).

- 2) The flexible area (between the cutting part and the eyelet) enables the blade to adapt, even in the presence of resistant obstacles.
- 3) The eyelet allows an oscillation (R) of 240° which, combined with the flexible area, reduces to zero the possibility of breaking down. (fig. 2)




The blade which is free to flex when it meets obstacles makes possible the use of the brush cutter also to a lower number of revolutions of the engine, **allowing the use also close to** the plants without damaging the stem.



6 combinations of blades for 7

different types of cutting




The head can be used with two or four blades,

according to the cutting requirements



Recommended uses



Packs

<u> </u>		P074 08 P201848 P		
TM	DIMENSIONS MM	No. OF PIECES PER PACK	MINIMUM LOT	PACK CODE
MONOFLY	2,8	TENTACK	101	1011 9108
For universal	3,5 4,5	16 pieces per blister	10 blister	1011 9113 1011 9115
cutting	2,8 3,5 4,5	20 pieces per bag	10 bags	1011 9129 1011 9127 1011 9125
	2,8 3,5 4,5	40 pieces per bag	5 bags	1011 9109 1011 9110 1011 9111
ТМ	DIMENSIONS MM	No. OF PIECES PER PACK	MINIMUM LOT	PACK CODE
For universal	2,8 3,5 4,5	16 pieces per blister	10 blister	1011 9119 1011 9121 1011 9124
cutting, for grass with "Mulching" effect and	2,8 3,5 4,5	20 pieces per bag	10 bags	1011 9130 1011 9128 1011 9126
heavy jobs	2,8 3,5 4,5	40 pieces per bag	5 bags	1011 9116 1011 9117 1011 9122
0-				
MONOSECA TM	DIMENSIONS MM	No. OF PIECES PER PACK	MINIMUM LOT	PACK CODE
MONOSEGA Specific for				
MONOSEGA	MM 2,5 3,5	PER PACK	LOT	CODE 1011 9158 1011 9133
Specific for tall grass and for "Scattering"	2,5 3,5 4,5 2,5 3,5	PER PACK 16 pieces per blister	LOT 10 blister	1011 9158 1011 9133 1011 9137 1011 9159 1011 9139
Specific for tall grass and for "Scattering"	2,5 3,5 4,5 2,5 3,5 4,5 2,5 3,5 4,5	16 pieces per blister 20 pieces per bag	10 blister	1011 9158 1011 9133 1011 9137 1011 9159 1011 9139 1011 9140 1011 9160 1011 9134
Specific for tall grass and for "Scattering" effect	2,5 3,5 4,5 2,5 3,5 4,5 2,5 3,5 4,5	16 pieces per blister 20 pieces per bag	10 blister	1011 9158 1011 9133 1011 9137 1011 9159 1011 9139 1011 9140 1011 9160 1011 9134
Specific for tall grass and for "Scattering" effect MONOELICA Specific for	2,5 3,5 4,5 2,5 3,5 4,5 2,5 3,5 4,5 DIMENSIONS	PER PACK 16 pieces per blister 20 pieces per bag 40 pieces per bag No. OF PIECES	10 blister 10 bags 5 bags	1011 9158 1011 9133 1011 9137 1011 9159 1011 9139 1011 9140 1011 9160 1011 9134 1011 9138
Specific for tall grass and for "Scattering" effect	2,5 3,5 4,5 2,5 3,5 4,5 2,5 3,5 4,5 DIMENSIONS MM 2,5 3,0	PER PACK 16 pieces per blister 20 pieces per bag 40 pieces per bag No. OF PIECES PER PACK	10 blister 10 bags 5 bags MINIMUM LOT	TODE 1011 9158 1011 9133 1011 9137 1011 9159 1011 9139 1011 9140 1011 9160 1011 9134 1011 9138 PACK CODE 1011 9146 1011 9150

Promotional material







Container box no.12 pieces





FLASHCUTTER SRL _ VIA A. GUERRIERI, 4/A _ 42015 CORREGGIO (RE) _ ITALY TEL 0522 1718460 _ FAX 0522 048812_EMAIL flash@flashcutter.it

